



TESLA SMART SENSOR BUTTON

USER MANUAL

EN

DE

CZ

SK

PL

HU


SL

HR

UA

RU

Product Description



Linkage Setting (Detail please refer to APP)


- Single click
- Double click
- Long press (LED off after 3s, release the button)

Network Setting

1. Power on the product.



Insert a thin blade or coin into the slot on the battery cover and rotate it anticlockwise to open the battery cover.



Remove the battery insulation film to power on the product and close the battery cover.

Obsah je uzamčen

**Dokončete, prosím, proces objednávky.
Následně budete mít přístup k celému dokumentu.**



Proč je dokument uzamčen? Nahněvat Vás rozhodně nechceme. Jsou k tomu dva hlavní důvody:

- 1) Vytvořit a udržovat obsáhlou databázi návodů stojí nejen spoustu úsilí a času, ale i finanční prostředky. Dělali byste to Vy zadarmo? Ne*. Zakoupením této služby obdržíte úplný návod a podpoříte provoz a rozvoj našich stránek. Třeba se Vám to bude ještě někdy hodit.

**) Možná zpočátku ano. Ale vězte, že dotovat to dlouhodobě nelze. A rozhodně na tom nezbohatneme.*

- 2) Pak jsou tady „roboti“, kteří se přiživují na naší práci a „vysávají“ výsledky našeho úsilí pro svůj prospěch. Tímto krokem se jim to snažíme překazit.

A pokud nemáte zájem, respektujeme to. Urgujte svého prodejce. A když neuspějete, rádi Vás uvidíme!