


DOOR / WINDOW SENSOR

CONTACT & TEMPERATURE SENSOR



Quick Manuals. Warranty Terms



Works with
Apple HomeKit

FIBARO[®]
HOME INTELLIGENCE

ENGLISH	5
POLSKI	9
DEUTSCH	11
FRANÇAIS	13
ESPAÑOL	15
PORTUGUÉS	17
ITALIANO	19
NEDERLANDS	21
РУССКИЙ	23
SVENSKA	25
ROMÂNĂ	27
ČESKY	29
SLOVENSKÝ	31
EESTI	33
LIETUVIŲ	35
LATVIEŠU	37
TÜRKÇE	39
中文	41

FIBARO Door/Window Sensor is a HomeKit-enabled Hall effect sensor using *Bluetooth*® low energy wireless technology.

Along with detecting opening and closing, the accessory measures the ambient temperature.

Opening is detected by separating the sensor's body and the magnet.

Tampering is detected whenever the accessory is detached from the surface or casing is opened.

TIP: Check corresponding chapters of *Quick Start Guide* for pictures.

Package contents (page 3):

- Device,
- Magnet,
- Manuals and warranty terms.

Download FIBARO app from the App Store (page 4).

First launch (page 5):

- 1) Take off the cover (Fig. 1).
- 2) Remove the battery blocker and check if the battery is placed correctly (Fig. 2).
- 3) Close the cover (Fig. 3).
- 4) Open the FIBARO app and tap + icon (Fig. 4).
- 5) Application will guide you through the pairing process.
- 6) Peel off the protective layer from the sensor and magnet (Fig. 5).
- 7) Stick the sensor onto the frame and magnet onto the moving part of the door/window (no further than 5mm from the sensor) (Fig. 6).

Setup Code:

You will find the Setup Code on the back of the *Quick Start Guide*. Remember to keep it in a safe place. You may need it in case of re-pairing.

Reset (page 7):

- 1) Take off the cover.
- 2) Press the button 3 times then press and hold the button (Fig. 7).
- 3) When the LED glows, release the button.
- 4) Click the button again immediately to confirm.



For more information about FIBARO Door/Window Sensor, like video guides, parameters, technical manuals, and declarations visit our website:

manuals.fibaro.com/en/hk-door-window-sensor

Specifications:

Power supply:	ER14250 (1/2AA) 3.6V battery
Radio protocol:	<i>Bluetooth</i> ® low energy
Radio frequency:	2.4 GHz
Operating temperature:	0-40°C (32-104°F)
Dimensions (D x W x H):	71 x 18 x 18 mm (2.8" x 0.7" x 0.7")
EU directives compliance:	R&TTE 1999/5/EC RoHS 2011/65/EU

Warnings:

Failure to observe recommendations included in the manual may cause risk to health or malfunction of the device. The manufacturer, Fibar Group S.A. will not be held responsible for any loss or damage resulting from not following instructions of the manuals.

This product is not a toy. Keep away from children and animals!

CAUTION: Risk of Explosion if Battery is replaced by an Incorrect Type. Dispose of Used Batteries According to the Instructions.

The device is designed to be used with Apple HomeKit and is compliant with IEC/UL/CSA 60950-1.

In case of the integration with another system, e.g. alarm system, it is required to verify the compliance with additional standards.

Obsah je uzamčen

**Dokončete, prosím, proces objednávky.
Následně budete mít přístup k celému dokumentu.**



Proč je dokument uzamčen? Nahněvat Vás rozhodně nechceme. Jsou k tomu dva hlavní důvody:

- 1) Vytvořit a udržovat obsáhlou databázi návodů stojí nejen spoustu úsilí a času, ale i finanční prostředky. Dělali byste to Vy zadarmo? Ne*. Zakoupením této služby obdržíte úplný návod a podpoříte provoz a rozvoj našich stránek. Třeba se Vám to bude ještě někdy hodit.

**) Možná zpočátku ano. Ale vězte, že dotovat to dlouhodobě nelze. A rozhodně na tom nezbohatneme.*

- 2) Pak jsou tady „roboti“, kteří se přiživují na naší práci a „vysávají“ výsledky našeho úsilí pro svůj prospěch. Tímto krokem se jim to snažíme překazit.

A pokud nemáte zájem, respektujeme to. Urgujte svého prodejce. A když neuspějete, rádi Vás uvidíme!