

USER MANUAL
BENUTZERHANDBUCH
UŽIVATELSKÝ MANUÁL
UŽÍVATEĽSKÝ MANUÁL

EN
DE
CZ
SK



**WHEELED MOUNT FOR FLAT SCREEN
MOBILER MONITORSTÄNDER
POJÍZDNÝ STOJAN NA OBRAZOVKU
POJAZDNÝ STOJAN NA OBRAZOVKU**

CI-527

Before putting this product into operation, please read carefully all the instructions, even if you are already familiar with using similar products. Use the product only as described in this manual. Keep this manual in case you need it for future reference.

EN

The electronic version of this user manual can be downloaded on the website www.connectit-europe.com.

We recommend keeping the original packaging of the product, invoice and warranty certificate at least for the time the warranty is valid. When shipping the product, we recommend using the original packaging that the product was delivered in that will provide the best protection for it from being damaged during transport.

1 Warning

- Make sure that the surface on which the stand is used is stable and can hold the weight of the stand, screen and any additional accessories. Do not exceed the maximum specified load.
- When installing the screen, use the assistance of another person.
- Tighten the screws properly during the installation. Be sure not to strip the threads. That may cause damage to the installed screen or radically reduce the maximum load of the stand.
- This stand is designed for indoor use only. Using the stand outside may cause harm, damage to the stand or the installed screen.
- Check the stability and safety of the stand at least once every three months.



2 Specifications

- Compatible with most monitors with 37"-70" screens
- VESA mount up to 600×400mm
- Wheels equipped with breaks for fixing the position
- Height of the stand: 172 cm
- Maximum load: 80 kg




3 Package contents

EN


 center of the base (1x)
A

 left side of the base (1x)
B

 right side of the base (1x)
C

 left cover (1x)
D

 right cover (1x)
E

 center of the mount (1x)
F

 left mounting adapter (1x)
G

 right mounting adapter (1x)
H

 pillar (1x)
I

 connecting piece (1x)
J

 top cover (1x)
K

 cable clip (4x)
L

 M8x65 (8x)
M

 M8x16 (4x)
N

 M8x40 (4x)
O

 3mm Allen wrench (1x)
P

 5mm Allen wrench (1x)
Q

 6mm Allen wrench (1x)
R

 washer D8 (4x)
S

 wheel with break (2x)
T

 wheel (2x)
U

 wrench (1x)
V

M package


 M5x14 (4x)
M-A

 M6x14 (4x)
M-B

 M8x50 (4x)
M-C

 M6x30 (4x)
M-D

 M8x30 (4x)
M-E

 washer (4x)
M-F

 spacer (8x)
M-G

 spacer (8x)
M-H


Obsah je uzamčen

Dokončete, prosím, proces objednávky.

Následně budete mít přístup k celému dokumentu.



Proč je dokument uzamčen? Nahněvat Vás rozhodně nechceme. Jsou k tomu dva hlavní důvody:

- 1) Vytvořit a udržovat obsáhlou databázi návodů stojí nejen spoustu úsilí a času, ale i finanční prostředky. Dělali byste to Vy zadarmo? Ne*. Zakoupením této služby obdržíte úplný návod a podpoříte provoz a rozvoj našich stránek. Třeba se Vám to bude ještě někdy hodit.

**) Možná zpočátku ano. Ale vězte, že dotovat to dlouhodobě nelze. A rozhodně na tom nezbohatneme.*

- 2) Pak jsou tady „roboti“, kteří se přiživují na naší práci a „vysávají“ výsledky našeho úsilí pro svůj prospěch. Tímto krokem se jim to snažíme překazit.

A pokud nemáte zájem, respektujeme to. Urgujte svého prodejce. A když neuspějete, rádi Vás uvidíme!