



User Manual

N300 Wi-Fi Range Extender

DAP-1325

Preface

D-Link reserves the right to revise this publication and to make changes in the content hereof without obligation to notify any person or organization of such revisions or changes.

Manual Revisions

| Revision | Date | Description |
|----------|-------------------|-------------------|
| 1.00 | December 03, 2016 | • Initial release |

Trademarks

D-Link and the D-Link logo are trademarks or registered trademarks of D-Link Corporation or its subsidiaries in the United States or other countries. All other company or product names mentioned herein are trademarks or registered trademarks of their respective companies.

Apple®, Apple logo®, Safari®, iPhone®, iPad®, iPod touch® and Macintosh® are trademarks of Apple Inc., registered in the U.S. and other countries. App Store™ is a service mark of Apple Inc.

Chrome™ browser, Google Play™ and Android™ are trademarks of Google Inc.

Internet Explorer®, Windows® and the Windows logo are trademarks of the Microsoft group of companies.

Copyright © 2017 by D-Link Corporation. All rights reserved. This publication may not be reproduced, in whole or in part, without prior expressed written permission from D-Link Corporation.

Power Usage

This device is an Energy Related Product (ErP) with High Network Availability (HiNA), and automatically switches to a power-saving Network Standby mode within 1 minute of no packets being transmitted. If it is not needed during certain periods of time, it can be unplugged to save energy.

Network Standby: 1.39 watts

Table of Contents

| | | | |
|---|-----------|--|-----------|
| Preface..... | i | Configure Administrator Password | 28 |
| Product Overview..... | 1 | Save Your Configuration..... | 29 |
| Package Contents..... | 1 | | |
| System Requirements..... | 2 | | |
| Introduction | 3 | Configuration..... | 30 |
| Features..... | 3 | Home | 30 |
| What is a Wireless Extender? | 4 | Settings | 32 |
| Hardware Overview | 5 | Extender Settings | 32 |
| Front | 5 | Network Settings | 33 |
| Wireless Signal Strength Indicator LED..... | 7 | Autoconfiguration (SLAAC/DHCPv6)..... | 34 |
| Bottom..... | 8 | Static IPv6 | 35 |
| Back..... | 9 | Link-local Only | 36 |
| Installation | 10 | Management..... | 37 |
| Wireless Installation Considerations..... | 10 | Admin | 37 |
| Hardware Setup | 11 | System | 38 |
| Getting Started | 12 | Upgrade | 39 |
| WPS-PBC Configuration | 13 | Statistics | 40 |
| QRS Mobile App Setup | 14 | | |
| Web-based Setup | 19 | Connecting Wireless Clients to the Extended Network 41 | |
| Setup Wizard | 20 | WPS Button..... | 41 |
| Connecting Your Device via WPS | 21 | Windows® 8..... | 42 |
| WPS Successful | 22 | WPA/WPA2 | 42 |
| WPS Unsuccessful..... | 22 | Windows® 7..... | 44 |
| Extend an Existing Network..... | 23 | WPA/WPA2 | 44 |
| Add Wireless to Your Wired Network..... | 26 | Windows Vista® | 47 |
| WPA/WPA2 | 48 | WPA/WPA2 | 48 |
| | | Troubleshooting | 50 |

Obsah je uzamčen

Dokončete, prosím, proces objednávky.

Následně budete mít přístup k celému dokumentu.



Proč je dokument uzamčen? Nahněvat Vás rozhodně nechceme. Jsou k tomu dva hlavní důvody:

- 1) Vytvořit a udržovat obsáhlou databázi návodů stojí nejen spoustu úsilí a času, ale i finanční prostředky. Dělali byste to Vy zadarmo? Ne*. Zakoupením této služby obdržíte úplný návod a podpoříte provoz a rozvoj našich stránek. Třeba se Vám to bude ještě někdy hodit.

**) Možná zpočátku ano. Ale vězte, že dotovat to dlouhodobě nelze. A rozhodně na tom nezbohatneme.*

- 2) Pak jsou tady „roboti“, kteří se přizívají na naší práci a „vysávají“ výsledky našeho úsilí pro svůj prospěch. Tímto krokem se jim to snažíme překazit.

A pokud nemáte zájem, respektujeme to. Urgujte svého prodejce. A když neuspějete, rádi Vás uvidíme!