

ATN X-Sight 4K BH Series ATN X-Sight 4K Pro Series

DAY & DAY/NIGHT RIFLE SCOPES





MANUAL

X-SIGHT 4K USER'S GUIDE



**AMERICAN
TECHNOLOGIES
NETWORK
CORP.**

TABLE OF CONTENTS



IR850
Infra-Red illuminator (included*)

















* Only with the X-Sight 4K Pro models.

CAUTION!
THIS PRODUCT CONTAINS NATURAL RUBBER LATEX WHICH MAY CAUSE ALLERGIC REACTIONS

The information in this manual is furnished for informational use only, is subject to change without notice, is not to be construed as a commitment by ATN Corp.
 ATN Corp. assumes no responsibility or liability for any errors or inaccuracies that may appear in this book.
 ©2019 ATN Corp. All right reserved.

- Features**4
- Application**.....4
- Specifications**5
- Preparing the Device**.....6
 - Unpacking6
 - Charging the Device6
 - Micro SD and USB C Ports6
 - Firmware Update7
 - ON/OFF8
 - Using your Keypad and Scroll Wheel8
 - Focusing8
 - Mounting9
 - ATN IR850 Infra-Red Illuminator9
 - Compass Calibration11
- Interface**12
 - Homescreeen12
 - Main Operations13
 - Modes14
 - Shortcut Carousel14
 - Using System Settings15
- Functions**17
 - Night Vision17
 - Photo Mode18
 - Video Recording18
 - Recoil Activated Video19
 - Zeroing20
 - Rangefinder22
 - Ballistic Calculator24
 - Reticle Style Adjustment26
- System Settings**27
 - Night Vision27
 - Photo/Video27
 - Display28
 - Profiles/Zero28
 - Settings29
- BIX Technology**30
 - ABL Pairing30
 - Laser Ballistics Pairing31
 - BinoX 4K/4T Pairing32
 - X-TRAC Pairing32
- Warnings and Cautions**.....33
- Mobile Applications**33
- 2 Year Product Warranty**34

FEATURES

-  RECORD HD VIDEO
-  DUAL STREAM VIDEO
-  BLUETOOTH
-  SMOOTH ZOOM
-  E-COMPASS
-  3D GYROSCOPE
-  DAY/NIGHT MODE*
-  SMART RANGE FINDER
-  BALLISTIC CALCULATOR
-  RECOIL ACTIVATED VIDEO (RAV)
-  ONE SHOT ZERO
-  PROFILE MANAGER
-  ULTRA LOW POWER CONSUMPTION
-  DUAL CORE PROCESSOR

* Only in X-Sight 4K Pro Series

APPLICATION

ATN has been at the forefront of your digital optic needs, and now we are surpassing all expectations by presenting a new series of products that delivers a profoundly new experience!

The X-Sight 4K Day/Night scope offers an enhanced HD Night Vision Mode, higher resolution and faster optics that allow for a faster image to form on the new HD Display. Our New 4K Sensor and Dual Core Processor gives you the power to Record Video and WiFi Stream at the same time!

You wanted longer lasting power capabilities? You got it! The X-Sight 4K scope includes a long lasting internal Lithium Ion Battery, allowing for up to 18 hours of power.

The X-Sight's new retro design allows you to use your traditional 30 mm mounting rings that will allow you to have plenty of eye relief while using the rifle you want.

Sighting your scope has never been easier with our One Shot Zero feature. Plus, a slew of other features, you have come to expect from the ATN Smart HD Optics line.

SPECIFICATIONS

Item	BH Series		Pro Series	
	X-Sight 4K BH 3-14x	X-Sight 4K BH 5-20x	X-Sight 4K Pro 3-14x	X-Sight 4K Pro 5-20x
Magnification	3 – 14x	5 – 20x	3 – 14x	5 – 20x
Field of view at 1000 yds	460 ft (9°)	240 ft (5°)	460 ft (9°)	240 ft (5°)
Sensor	ATN 4K M265 Sensor, 3864 (H) × 2218 (V)			
Core	ATN Obsidian IV Dual Core			
System Resolution	600 lp/mm			
Micro Display	1280x720 HD Display			
Eye relief	90 mm			
Video Recording Resolution	1080p @ 30/60/120 fps**			
Ballistic Calculator	Yes			
WiFi (Streaming, Gallery, & Controls)	iOS & Android			
Bluetooth	Yes			
3D Gyroscope	Yes			
3D Accelerometer	Yes			
E-Barometer	Yes			
Smart Range Finder	Yes			
RAV (Recoil Activated Video)	Yes			
Electronic Compass	Yes			
Smooth Zoom	Yes			
Reticles	Multiple Patterns & Color Options			
Microphone	Yes			
Micro SD card	4 to 64 Gb			
USB, type C	Yes			
Mount	30 mm Standard Rings (not included)		30 mm Standard Rings (included)	
IR Illuminator	Not included		Included	
Night Vision	No		Yes	
Battery life (Li-ion)	up to 18 hrs			
Battery type	Internal Lithium Ion Battery			
Waterproof rating / IP rating	Weather resistant			
Dimensions (body only)	13.8"×3"×3" 350×76×76 mm	14.9"×3"×3" 379×76×76 mm	13.8"×3"×3" 350×76×76 mm	14.9"×3"×3" 379×76×76 mm
Weight	2.1 lb 0.94 kg	2.2 lb 1.01 kg	2.1 lb 0.94 kg	2.2 lb 1.01 kg
Warranty	2 years			

* ATN reserves the right to change the above specifications at any time without notice.

** When choosing to use this option, the incorporation of your widgets are absent. Widgets would include reticle, time stamp, and logo that are added during video processing.

Obsah je uzamčen

Dokončete, prosím, proces objednávky.

Následně budete mít přístup k celému dokumentu.



Proč je dokument uzamčen? Nahněvat Vás rozhodně nechceme. Jsou k tomu dva hlavní důvody:

- 1) Vytvořit a udržovat obsáhlou databázi návodů stojí nejen spoustu úsilí a času, ale i finanční prostředky. Dělali byste to Vy zadarmo? Ne*. Zakoupením této služby obdržíte úplný návod a podpoříte provoz a rozvoj našich stránek. Třeba se Vám to bude ještě někdy hodit.

**) Možná zpočátku ano. Ale vězte, že dotovat to dlouhodobě nelze. A rozhodně na tom nezbohatneme.*

- 2) Pak jsou tady „roboti“, kteří se přiživují na naší práci a „vysávají“ výsledky našeho úsilí pro svůj prospěch. Tímto krokem se jim to snažíme překazit.

A pokud nemáte zájem, respektujeme to. Urgujte svého prodejce. A když neuspějete, rádi Vás uvidíme!