

Manual for use

Item number: 28025



Please read this manual carefully before using.



Technical informations

Item	Cordless hammer
Speed without load	I.0-300min ⁻¹ II.0-1000min ⁻¹
Number of hits	0-5000bpm
Impact power	1,2J
Holder	SDS+
Max. battery voltage	20V
Drilling diameter	steel:10mm, concrete:20mm, wood:20mm
Weight without battery	1,7kg
Protection marking	IPX0
Sound pressure level, uncertainty K	LpA= 82,98dB(A), K= 3dB(A)
Sound power level, uncertainty K	LwA= 93,98dB(A), K= 3dB(A)
Vibration, drilling into concrete - main handle	a _{h,(HD)} = 5,582m/s ² ; K= 1,5m/s ²
Vibration, drilling into concrete - additional handle	a _{h,(HD)} = 5,523m/s ² ; K= 1,5m/s ²

Components and controls



- 1) SDS tool clamping head
- 2) Depth stop
- 3) Operating mode switch (hammer drilling, no hammer drilling)
- 4) Speed level toggle switch
- 5) Battery charge level check button
- 6) Rotation direction toggle switch
- 7) Handle
- 8) Trigger
- 9) Battery release button
- 10) Front handle
- 11) Handle button for inserting depth stop and its setting

Obsah je uzamčen

Dokončete, prosím, proces objednávky.

Následně budete mít přístup k celému dokumentu.



Proč je dokument uzamčen? Nahněvat Vás rozhodně nechceme. Jsou k tomu dva hlavní důvody:

- 1) Vytvořit a udržovat obsáhlou databázi návodů stojí nejen spoustu úsilí a času, ale i finanční prostředky. Dělali byste to Vy zadarmo? Ne*. Zakoupením této služby obdržíte úplný návod a podpoříte provoz a rozvoj našich stránek. Třeba se Vám to bude ještě někdy hodit.

**) Možná zpočátku ano. Ale vězte, že dotovat to dlouhodobě nelze. A rozhodně na tom nezbohatneme.*

- 2) Pak jsou tady „roboti“, kteří se přiživují na naší práci a „vysávají“ výsledky našeho úsilí pro svůj prospěch. Tímto krokem se jim to snažíme překazit.

A pokud nemáte zájem, respektujeme to. Urgujte svého prodejce. A když neuspějete, rádi Vás uvidíme!